

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 1 | ("3164888").PN. | US-PGPUB; USPAT | OR | OFF | 2006/01/04 13:56 |
| L2 | 2 | ("3164888").URPN. | USPAT | OR | ON | 2006/01/04 13:56 |
| L3 | 7 | ("3164888" "3436815" "3470046" "3559899").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2006/01/04 14:03 |
| L4 | 5 | ("3702499").URPN. | USPAT | OR | ON | 2006/01/04 14:09 |
| L5 | 7 | "3164888" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 14:28 |
| L6 | 0 | ("rossi.xa" or "rossi.xp") and emi | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 14:28 |
| L7 | 0 | ("rossi.xa" or "rossi.xp") and (emi or emr) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 14:29 |
| L8 | 231 | rossi.xa. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 14:42 |
| L9 | 0 | ("rossi.xa." or "rossi.xp.") and (emi or emr) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 14:29 |
| L10 | 3 | ((("2718052") or ("2836744") or ("2993820")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/01/04 14:50 |
| L11 | 1 | ("3702499").PN. | US-PGPUB; USPAT | OR | OFF | 2006/01/04 14:52 |
| L12 | 2 | ((("2705282") or ("5175396")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/01/04 14:53 |
| L13 | 3 | ((("2705282") or ("5175396") or ("3164888")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/01/04 14:54 |
| L14 | 3 | ((("2705292") or ("5175396") or ("3164888")).PN. | US-PGPUB; USPAT | OR | OFF | 2006/01/04 15:03 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| L15 | 1 | ("4602180").PN. | US-PGPUB; USPAT | OR | OFF | 2006/01/04 15:03 |
| L16 | 4743 | (armature with coil with stator) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:04 |
| L17 | 263 | 16 same (electric near3 machine) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:13 |
| L18 | 634 | (174/110R or 174/133R or 174/117R or 174/117F or 174/117FF or 174/119R or 174/dig.8 or 310/10-44MM.ccls.) and ((sleeve or tube) with (shrink or shrinking or shrinkable or shrunk or shrunken)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:26 |
| L19 | 15 | 18 and (dynamo\$1electric\$3 or electro-dynam\$3 or (electric\$3 near2 dynam\$3)) and (coil or stator or armature or winding) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:18 |
| L20 | 16 | 18 and (dynamo\$1electric\$3 or electro\$1dynam\$3 or (electric\$3 near2 dynam\$3)) and (coil or stator or armature or winding) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:26 |
| L21 | 10 | (174/110R or 174/133R or 174/117R or 174/117F or 174/117FF or 174/119R or 174/dig.8 or 310/10-44MM.ccls.) and (((sleeve or tube) with (shrink or shrinking or shrinkable or shrunk or shrunken)) with rectang\$7) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:28 |
| L22 | 198 | (174/110R or 174/133R or 174/117R or 174/117F or 174/117FF or 174/119R or 174/dig.8 or 310/10-44MM.ccls.) and ((sleeve or tube) with (rectangle or rectangular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:29 |
| L23 | 37 | 22 and (shrink or shrinking or shrinkable or shrunk or shrunken) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:30 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L24 | 206 | ((electric\$2 near2 machine) or stator or (coil or winding)) and (((shrink or shrinkable or shrunk or shrinking) near3 (sleeve or tube)) with (conductor or bar)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/01/04 15:59 |
|-----|-----|---|---|----|----|------------------|